

KENT PP21N



AVC - Automatic Viscosity Control (patented)



Automatic pad clean

FEATURES

- Single or 2 color user-friendly pad printer
- Rigid aluminium casting machine frame
- Use **Green ink cup** (patented) set up
- Powered with AVC - Automatic Viscosity Control (patented)
- Compatible with long life, economy of **Green plate**, 10 mm steel plate and thin steel plate
- Dead-on printing plate registration for quick job change
- Membrane switch control panel
- Automatic pad clean with programmable cleaning cycle
- Special functions: double ink / print cycles, dwell and delay before print
- Digital pad stroke (DPS) for variable printing depth
- Hardened ground steel shaft with impregnated bushing ensure friction-free movement
- High speed and smooth machine operations

SPECIFICATIONS


Ink cup :	Ø60, 70, 90 mm
Ink cup plate size :	100 x 250 mm
Max. speed : (dry cycle) *	1,800 cycles/hr.
Max. pad pressure :	750N at 6 bar
Power :	110/220V 50/60Hz 20W
Air consumption :	128 litre/min. (approx.)
Size : (LxWxH)	690 x 600 x 570 mm
Weight :	46 kg (approx.)

* Please note that actual output may be affected by print requirement, ink drying condition, load/unload arrangement, pad stroke speed, pad hardness, production setup, product quality and production control.

OPTIONAL



- Newly improved MS-100 machine stand enhances stability
- Foot switch & cover



2 individual X,Y angle platform/work table with independent adjustment



2 color pneumatic conveyor



2 color pneumatic shuttle



www.kentpp.com

006M-0119

KENT ENGINEERING CO., LTD.

(Hong Kong) Tel: 852-2424 1899 Email: info@kent.com.hk

KENT ENGINEERING (GAO YAO) CO., LTD.

(Zhaoqing) Tel: 0758-8512 888 Email: kentgy@kentchina.com
 (Dongguan) Tel: 0769-8777 2010 Email: kentsg@kentchina.com
 (Wuxi) Tel: 0510-8522 0330 Email: kentsh@kent-pp.com.cn
 (Tianjin) Tel: 022-2795 8926 Email: kenttj@kent-pp.com.cn

